Atopic Dermatitis Management

Instructions for Use

RELIEVE the ITCH, TREAT the SKIN ... with PEDIACYN™



Pediacyn[™] can be used during dry and wet phases of Atopic Dermatitis

Pediacyn[™] can be used for a long period of time without causing side effects

Pediacyn[™] can be used at all ages

Clinically proven to help reduce the inflammation and redness

Relieves Atopic Dermatitis-associated itch sensations

Ideal to combine with a personal preferred moisturizer

To break the Itch-Scratch Cycle

Pediacyn[™] Atopic Dermatitis Hydrogel is indicated as an adjuvant in the wound healing process with wounds that can only heal by secondary intention in maturation phase.

Pediacyn[™] is indicated for the care of lesions associated with Atopic Dermatitis. Pediacyn[™] assists with moistening while forming a protective barrier against physical, chemical and microbial invasion of the Atopic Dermatitis lesions.

Photographic Results of Pediacyn[™] Hydrogel Treatment



Initial Visit Initial visit of a patient suffering from Atopic on her right arm

Week 1



Appearance after 2 weeks of treatment with Pediacyn™

Pediacyn[™] is easy to use and extremely comfortable

Instructions for Use

Besides the guidelines set by your health care provider, the following directions needs to be followed.

Pediacyn[™] is ready for use with no mixing or dilution required

- 1. Clean the affected area
- 2. Let the skin dry. Do not rub with a towel
- 3. Cover the affected area with a thin layer of Pediacyn[™] and gently rub until it is evenly distributed
- 4. Apply your preferred moisturizer once Pediacyn[™] is absorbed
- 5. Repeat 3 times daily

Pediacyn[™] can be used in combination with moisturizing crèmes.

No special handling is required. Please Store at room temperature and keep out of direct sun light or extreme cold/freezing.

Available sizes and Product codes

| Product name | Product code | Product description |
|--------------|--------------|---|
| Pediacyn™ | 47213-00 | 45g / 24 bottles per box (individual packed) |



Oculus Innovative Sciences Netherlands B.V. Boven de Wolfskuil 3A22 6049 LX Roermond The Netherlands Phone: +31 (0) 475 318 666 Fax: +31 (0) 475 318 342 E-mail: info.europe@intraderm.com Internet: www.intradermeu.com Chamber of Commerce 14078738







Pediacyn™

Advanced Atopic Dermatitis Management

A proactive treatment for the best possible outcome

Appearance after 1 week of treatment with Pediacyn™

Did You Know?

Atopic Dermatitis is one of the most commonly seen "dermatoses" with a prevalence of 2% to 5% in very young children and 10% in adults.

Although the symptoms may vary from person to person, itching is one of the most important side effect of Atopic Dermatitis (eczema). This has a significant impact on patient's daily practice and quality of life. Besides the itching sensation, symptoms like inflammations, dry- and red skin are mostly seen. When the disease affects a child, parents are seeking for the right treatment and investigate various routes to find the most effective option for their child. A long and difficult road to take. When a child has atopic dermatitis, the entire family may be affected. It is therefore very important to cope as a family with the stress and frustration associated with this disease as it will be extremely difficult for a child to withstand the tendency of scratching and rubbing the skin.

Unfortunately there is no known general solution to cure Atopic Dermatitis. Therefore the path a dermatologist will follow, is to control the condition so the skin looks and feels normal.

In order to do so, he/she has a wide range of options available like medication, topical creams, emollients and treatments with light. It will be a challenge to find the right choice for every patient. The good news is that there is a lot of ongoing research with very good alternative treatments.

What is the difference between Atopic Dermatitis and Eczema?

The term eczema is often used when people speak about Atopic Dermatitis. Eczema is a non-specific term which covers a wide range of skin effected diseases, associated with inflammations.

The term Atopy (propensity to allergic reaction) is used when the syndrome includes three conditions in one individual at the same time.

Chronic Dermatitis

Inhalant Allergies

Asthma

Therefore patients with Atopic Dermatitis often suffer from allergies, hay fever and asthma.

The Itch-Scratch Cycle

The need to scratch the itching area is

published in various studies and is

called the vicious "Itch-Scratch

cycle". Due to the itching

sensation the patient

this feeling with

itching.

as it is extremely difficult to

withstand this need. Unfortunately

would like to eliminate

scratching. Scratching

is actually giving a pain

sensation to the skin in

order to eliminate the

Sometimes, the patient

is not aware he or she is scratching the affected area

What is the Itch-Scratch cycle?

scratching stimulates itching, itching evokes scratching which

The Power of **Pediacyn**™




Oculus Innovative Sciences has developed a siliconebased Pediacyn[™] Atopic Dermatitis Management Hydrogel, formulated with the patented Microcyn® Technology which has a significant advantage in the management of Atopic Dermatitis during the dry and wet phase.



The essential components of Pediacyn[™] are Hypochlorous Acid (HOCL) and Sodium Hypochlorite (NaOCL). These ingredients, present in very low quantities, are naturally produced as a defensive agent as part of our innate immune system. Microcyn[®] Technology has been used for many years to treat various acute and chronic wounds and has shown to be very effective in the healing process without any side effects.

The benefits of the mechanical mode of action are:



er presented at: Winter Clinical Dermatology erence; January 2012; Maui, HJ.



reported Itch relieve

85% reported Itch relieve at DAY 31

stimulates itching ...

"The Itch-Scratch Cycle"

More scratching creates more

itching. Therefore it is

unavoidable the skin will be damaged

This is called:

at a certain

Once this has

route for bacteria

becomes available.

to settle inside the skin

and causes inflammations.

happened a

point.

The primary goal of a physician is to suppress the side effects to the skin and break the "Itch-Scratch Cycle"

Pediacyn[™] hydrogel contains stabilized HOCL, a key component in bleach bath therapy. Bleach baths have been found to reduce the severity of eczema symptoms, including itch, in patients with mild to moderate Atopic Dermatitis. It may be advised to every treatment for Atopic Dermatitis.